


Nicolas Lamoure
Institut für romanische Sprachen und Literaturen
Lehrstuhl Prof. Dr. Cecilia Poletto
Goethe Universität Frankfurt
Nicolas.lamoure@live.de

Embedding a video into an OLAT article

You want to:

Embed a video hosted on another platform into OLAT, i.e. such that it can be watched without leaving OLAT:



This tutorial consists of two essential and one optional step.

Step 1: Choose your video and copy the embedding code

Pick the video you want to embed and copy the embedding code. In the following I will show this using a video hosted on Youtube and a video hosted on Goethe University's own streaming portal Mediasite. In both cases, a so-called embedding code has to be extracted. In principle the same procedure applies to videos hosted on other platforms.

Youtube-Video


1) Navigate to the video of your choice. In our case we will pick:

<https://www.youtube.com/watch?v=dZifLDpl5EY>


2) Click on *Share*:



3) Click on *embed*:




4) Highlight and copy the entire code („<iframe width=....“)




Mediasite Video

- 1) Navigate to your video. In our case: <https://video01.uni-frankfurt.de/Mediasite/Showcase/kinderuni/Presentation/a2c677a7100a45c0802d769f8f3bcbc31d>
- 2) Click on *Embed*:



- 3) Highlight one of the embedding links (we will pick the last one; All of them work, however they will yield different results):



Step 2 (optional): Adjust video size:

In order to adjust the video size, insert the code copied earlier into a text editor and look for the attributes *width* and *height*. Manipulate their values to meet your needs:

- 1) Youtube:

```
<p><iframe src="https://www.youtube.com/embed/dZifLDpl5EY" width="560" height="315"
frameborder="0" allowfullscreen="allowfullscreen"></iframe>
```


- 2) Mediasite

```
<iframe src="https://video01.uni-frankfurt.de/Mediasite/Showcase/kinderuni/Presentation/a2c677a7100a45c0802d769f8f3bcbc31d" width="980" height="600" frameborder="0" marginwidth="0" marginheight="0" scrolling="auto"></iframe></p>
```


Subsequently, copy the modified result and continue with step 3. Of course, you can also make this adjustment in OLAT itself.

Schritt 3: Embedded Code in Olat einfügen


1) Create and open e.g. an empty article in OLAT:




2) Activate the HTML editor by clicking on „<>“.



3) This will open up the following editor window:



4) Insert the code, obtained from step 1 (or 2):



5) Confirm by clicking on „OK“, leave the course editor by pressing on „Speichern und schließen“. After publishing your codes you will obtain the following results:

